

Climate Solutions in Agriculture



CALIFORNIA AGRICULTURE is uniquely vulnerable to climate change. In a state where water is already scarce, climate models predict that water supplies will become increasingly constrained, threatening severe shortages in the coming decades and limiting a fundamental resource for the state's agricultural industry¹. Models also predict pressures from weed, disease and pest shifts, increased animal diseases, loss of chill hours for grapes, fruit and nut tree crops, and changing intensity and number of storms^{2,3}.

Much is at stake. California agriculture is one of the most diverse and productive agricultural systems in the United States, and the fifth largest producer of food globally with revenues of nearly \$35 billion a year from its 81,500 ranches and farms. With more than 400 agricultural products, California's farmers and ranchers represent nearly every crop and product grown domestically⁴.

To keep California agriculture viable in the coming decades, greenhouse gas (GHG) emissions must be reduced and the worst climate change impacts averted. Fortunately, agriculture can be part of the climate solution—but investments must be made to enhance its role and protect its future in California.

Climate Benefits of Sustainable Agriculture

Altering one agricultural practice to reduce GHG emissions may lead to the unintended consequence of increasing GHG emissions elsewhere in the agroecological system. Considering agricultural practices as integrated parts of the whole farming or ranching system will provide a more complete picture of an operation's carbon footprint and the opportunities within it to reduce GHG emissions and sequester carbon. Sustainable agricultural systems, based on ecological principles, offer this holistic approach.

Here we outline some of the sustainable agricultural approaches that may help to reduce GHG emissions and store atmospheric carbon, thereby bolstering California agriculture's resilience in the face of a changing climate.

Energy Efficiency & Renewable Energy Production

Energy efficiency measures and on-farm renewable energy production can provide energy and cost savings to farms and ranches while reducing GHG emissions.

Energy efficiencies should be among the first improvements growers consider when looking to reduce carbon emissions. Energy audits can reveal opportunities to increase efficiency within an operation such as properly inflating tractor tires to reduce fuel waste⁵, repairing water pumps to increase efficiency and/or reducing pumping time⁶ and maintaining farm vehicles and equipment⁷.

California farms and ranches might also become more energy-independent by producing renewable energy themselves. Wind turbines⁸, solar panels⁹, anaerobic digesters and biomass projects on farms and ranches can increase the state's production of renewable energy and generate income from the sale of excess energy, or in some cases through lease agreements or royalties. By 2009 close to 2,000 California operations had installed renewable energy, and that number continues to grow¹⁰.

Agriculture as Carbon Sink

Agriculture and forestry offer the only currently available terrestrial 'sinks' of carbon dioxide, the most predominant greenhouse gas. Natural processes in these sectors can remove carbon dioxide from the atmosphere and store it in soils and woody biomass. This process is known as carbon sequestration¹¹.

The ability of farm and rangeland to sequester carbon in soil depends upon soil type, regional climate, crop systems and management practices. As noted in a California Energy Commission study, soil management practices used in combination offer the best methods to build soil organic matter and sequester carbon¹².


Among the soil management practices that have the greatest potential to sequester carbon are cover crops, perennial cropping,



Understanding Carbon Sequestration

Atmospheric carbon is fixed by trees and other vegetation through photosynthesis.

Carbon is lost back to the atmosphere through respiration and decomposition of organic matter.



Source: US EPA. http://www.epa.gov/sequestration/local_scale.html

reduced synthetic fertilizer inputs, and conservation tillage¹³. Cover crops or green manures have been found to increase soil carbon 1.5 to 4 times as much as in land under cultivation¹⁴. Composting and adding organic amendments have also resulted in increased carbon storage in soils¹⁵. Studies reviewing the carbon sequestration potential of conservation tillage are mixed and sometimes contradictory. The potential for conservation tillage to increase carbon sequestration may grow with the use of additional soil management practices—including cover cropping, which can help build soil organic matter^{16,17}.

Incorporating trees, shrubs or other types of woody vegetation into rangeland or farm landscapes can also sequester carbon in significant quantities^{18,19}. Trees and plants absorb carbon dioxide and store it in the woody biomass above ground and in the root system. Planting hedgerows along the margins of farms and buffers in riparian zones can increase carbon sequestration. In California, replanting oak woodlands on rangeland is one of the best opportunities to sequester atmospheric carbon²⁰.

Sustainable Livestock Management

Sustainable management of rangelands—which cover half of the total land area of California²¹—can be an effective tool for

carbon sequestration and GHG emission reductions generally. Cattle grazing can increase aboveground species richness and productivity of vegetation²² which is frequently correlated with increased soil carbon²³. Grazing has also been found to increase the rate of soil carbon sequestration^{24,25}. Rotational grazing, a practice of intensively grazing and rotating live-stock through paddocks, has the potential to increase carbon sequestration by 15 to 30 percent²⁶. Converting fields from conventionally-raised feedstock to perennial grasslands for grazing can sequester up to 3,400 pounds of carbon dioxide equivalent per acre each year²⁷.

Grazing can also reduce the methane emissions generated by the digestive processes of livestock. Animals fed a diet of high quality forage may emit less methane²⁸. While research comparing methane emissions from pasture versus feedlot finishing are still limited, evidence suggests that finishing cattle on pasture rather than on grain can reduce methane emissions²⁹. Studies comparing livestock systems also suggest that grass-fed livestock require half the fossil fuel energy inputs of conventional feedlot livestock³⁰.

Manure waste lagoons or slurries produce methane and nitrous oxide³¹, two potent GHGs, as the result of the anaerobic (no or low oxygen) decomposition of manure. Methane emissions associated with livestock production can be reduced when manure is applied to the land instead of stockpiled or stored in large ponds or lagoons³². Because animal manure contains about 40 to 60 percent carbon, its application to land can increase the soil organic matter content and enhance soil carbon sequestration³³.

Climate Benefits of Organic Agriculture

Organic farming systems offer some of the best opportunities in agriculture to reduce GHG emissions and sequester carbon. Organic operations are prohibited from using synthetic fertilizers or pesticides and instead use less fossil fuel intensive methods including animal manure, compost and/or cover crops. Organic systems use inputs with up to 30 percent less embedded energy than conventional systems³⁴, resulting in lower GHG emissions³⁵.

Research has shown that significantly more carbon is sequestered in organic soils that are cultivated with animal manures and cover



Elayne Sears



crops rather than conventional soils utilizing synthetic fertilizers^{36,37,38,39}. In an eight-year study in California, soil organic carbon increased 19 percent in organic and low-input systems compared to an increase of only 10 percent in conventional agriculture⁴⁰. Long-term studies at the USDA have further shown that organic agriculture, even when using tillage, can sequester more carbon than no-till conventional agricultural systems⁴¹.

Note: More information on organic agriculture and climate change can be found in a CalCAN fact sheet focused on this topic.

Preserving California Farmland

California is losing farmland to development at an alarming rate—roughly 40,000 acres each year⁴². The loss of California farmland hurts the state's opportunities to mitigate and adapt to climate change⁴³. Unlike the dark surfaces of rooftops and pavement that absorb sunlight, farmland and rangeland reflect sunlight and cool temperatures, thereby increasing what's known as the 'albedo effect'⁴⁴. Moreover, protecting farmland around urban areas helps to limit sprawl and transportation-related GHG emissions. Farmland provides numerous additional benefits, including carbon sequestration, open space preservation, water absorption and filtration, and local food sources.

Supporting Climate-Friendly Agriculture

Farmers and ranchers can be part of a climate solution for California and the nation as a whole. Encouraging sustainable agricultural practices can reduce GHG emissions, enhance a potentially powerful resource for sequestering carbon, and provide many environmental co-benefits.

A report by CalCAN illustrates that California agriculture is ill-prepared to face the challenges of climate change⁴⁵. More California-specific research on climate change and agriculture is needed, as much of the research to date has occurred in the Midwest. Technical assistance is required to translate those research findings into real opportunities for GHG emission reductions through California agriculture. And in some cases, when transition costs to less GHG-emitting practices may be high, financial incentives for farmers and ranchers are essential. Researchers at UC Davis find that California producers will adopt practices to mitigate climate change if they are given realistic payments and assistance⁴⁶.

We cannot rely solely on federal farm conservation programs to meet the challenge of climate change efforts in agriculture. The current level of USDA conservation program funding for California producers is woefully inadequate. In recent years in California, more than half of the farmers and ranchers who applied for USDA conservation programs have not enrolled in the programs because of inadequate funding⁴⁷. Increased funding allocations in these federal programs, as well as investments at the state and national levels from future carbon pricing policies, are needed to support agriculture's role in climate protection.

California agriculture can be a leader in mitigating and adapting to climate change and with adequate research, technical assistance and financial incentives we can ensure that agriculture remains a viable, innovative industry for years to come. ■

¹ California Natural Resources Agency. 2009. California Climate Adaptation Strategy: Public Review Draft. <http://climatechange.ca.gov/adaptation/index.html>

² Jackson, L.E., F. Santos-Martin, A.D. Hollander, W.R. Horwath, R.E. Howitt, J.B. Kramer, A.T. O'Geen, B.S. Orlove, J.W. Six, S.K. Sokolow, D.A. Sumner, T.P. Tomich, and S.M. Wheeler. 2009. Potential for adaptation to climate change in an agricultural landscape in the Central Valley of California. California Energy Commission, PIER. CEC-500-2009-044-F.

³ Lobell, D.B., C.B. Field, K.N. Cahill, C. Bonfils. 2007. Impacts of future climate change on California perennial crop yields: Model projections with climate and crop uncertainties. *Agricultural & Forest Meteorology* 141: 208-218.

⁴ California Department of Food and Agriculture. 2011. Agricultural Resource Directory 2010-2011: County Statistical Data. <http://www.cdffa.ca.gov/Statistics/>

⁵ Lancas, K., S.K. Upadhyaya, M. Sime, S. Shafii. 1996. Overinflated tractor tires waste fuel, reduce productivity. *California Agriculture*. 50:28-31.

⁶ Hanson, B.R. 2002. Improving pumping plant efficiency does not always save energy. *California Agriculture*. 56: 123-128.

⁷ Svejkwsky, C. 2007. Conserving Fuel on the Farm. ATTRA Pub. #IP310.

⁸ Farming the Wind: Wind Power and Agriculture. Union of Concerned Scientists (UCS). http://www.ucsusa.org/clean_energy/technology_and_impacts/impacts/farming-the-wind-wind-power.html

⁹ Up With the Sun: Solar Energy and Agriculture. Union of Concerned Scientists (UCS). http://www.ucsusa.org/clean_energy/technology_and_impacts/impacts/up-with-the-sun-solar-energy.html

¹⁰ USDA National Agricultural Statistics Service. 2011. 2009 On-Farm Energy Production Survey. http://www.agcensus.usda.gov/Publications/2007/Online_Highlights/On-Farm_Energy_Production/index.asp

¹¹ U.S. E.P.A. November 2005. Greenhouse Gas Mitigation Potential in U.S. Forestry and Agriculture. Office of Atmospheric Programs. <http://www.epa.gov/>



Environmental Co-Benefits of Climate-Friendly Agriculture

Many of the agricultural practices that can reduce GHG emissions and sequester carbon can also provide numerous other environmental and public health benefits, including:

- Improved air quality
- Cleaner water
- Increased water conservation
- Increased biodiversity and wildlife habitat
- Increased pollination and beneficial insect populations
- Reduced soil erosion and increased flood control

sequestration/pdf/greenhousegas2005.pdf

- ¹² De Gryze, S., R. Catala, R. E. Howitt, and J. Six (University of California, Davis). 2008. Assessment of Greenhouse Gas Mitigation in California Agricultural Soils. California Energy Commission, PIER Energy-Related Environmental Research. CEC-500-2008-039.
- ¹³ Paustian, K., H.P. Collings, E.A. Paul. 1997. Management controls on soil carbon in E.A. Paul, K. Paustian, E.T. Elliot, C.V. Cole, eds. Soil organic matter in temperature agroecosystems. CRC Press, Boca Raton, Florida, USA.
- ¹⁴ Steenwerth, K. and K.M. Belina. 2008. Cover crops enhance soil organic matter, carbon dynamics and microbiological function in a vineyard agroecosystem. *Applied Soil Ecology*. 40:359-369.
- ¹⁵ Lal, R., J. Kimble, E. Levine, B.A. Stewart. (eds). 1995. Soil management and greenhouse effect. Boca Raton, FL, USA. Lewis Publishers.
- ¹⁶ Steenwerth, K. and K.M. Belina. 2008. Cover crops enhance soil organic matter, carbon dynamics and microbiological function in a vineyard agroecosystem. *Applied Soil Ecology*. 40:359-369.
- ¹⁷ Hobbs, P.R., K. Sayre, R. Gupta. 2008. The role of conservation agriculture in sustainable agriculture. *Phil. Trans. R. Soc. B*. 363:543-555.
- ¹⁸ M.M. Schoeneberger. 2009. Agroforestry: working trees for sequestering carbon on agricultural lands. *Agroforestry Systems*. 75:27-37.
- ¹⁹ Silver, W.L., R. Ryals, V. Eviner. 2010. Soil carbon pools in California's annual grassland ecosystems. *Rangeland Ecology and Management*. 63:128-136.
- ²⁰ Ibid.
- ²¹ Brown, S., A. Dushku, T. Pearson, D. Shoch, J. Winsten, S. Sweet, J. Kadyszewski. 2004. Carbon supply from changes in management of forest, range and agricultural lands of California. Sacramento, CA, USA: Winrock International, for the California Energy Commission, PIER Energy-Related Environmental Research. 500-04-068F.
- ²² Bakker, E.S., M.E. Ritchie, H. Olff, D.G. Milchunas, J.M.H. Knops. 2006. Herbivore impact on grassland plant diversity depends on habitat productivity and herbivore size. 2006. *Ecology Letters*. 9: 780-788.
- ²² Parton, W.J., D.S. Ojima, D.S. Schimel. 1994. Environmental change in grasslands—assessment using models. *Climatic Change* 28:111-141.
- ²³ Conant, R.T., K. Paustian, E.T. Elliot. 2001. Grassland management and conversion into grassland: effects on soil carbon. *Ecological Applications* 11:343-355.
- ²⁴ Liebig, M.A., J.A. Morgan, J.D. Reeder, B.H. Ellert, H.T. Gollany, G.E. Schuman. 2005. Greenhouse gas contributions and mitigation potential of agricultural practices in northwestern USA and western Canada. *Soil Tillage Research*. 83:25-52.
- ²⁵ Phetteplace, H.W., D.E. Johnson, A.F. Seidl. 2001. Greenhouse gas emissions from simulated beef and dairy livestock systems in the United States. *Nutrient Cycling in Agroecosystems*. 60:99-102.
- ²⁶ Perry, A. 2011. Putting Dairy Cows Out to Pasture: An Environmental Plus. *Agricultural Research*. May/June: 18-19. <http://www.ars.usda.gov/is/AR/archive/may11/>
- ²⁷ Bannink, A., M.C.J. Smits, E. Kebreab, J.A.N. Mills, J.L. Ellis, A. Klop, J. France, J. Dijkstra. 2010. Simulating the effects of grassland management and grass ensiling on methane emission from lactating cows. *Journal of Agricultural Science*. 148:55-72.
- ²⁸ Cohen, R.D.H. J.P.Stevens, A.D. Moore, J.R. Donnelly, M. Freer. 2004. Predicted methane emissions and metabolizable energy intakes of steers grazing a grass/alfalfa pasture and finished in a feedlot or at pasture using the GrassGro decision support tool. *Canadian Journal of Animal Science*. 84: 125-132.
- ²⁹ Pimentel, D. and Pimentel, M. "Livestock Production and Energy Inputs." Food, Energy, And Society. Third Edition. CRC Press. 2008.
- ³¹ Amon, B., V. Kryvoruchko, T. Amon, S. Zechmeister-Boltenstern. 2006. Methane, nitrous oxide and ammonia emissions during storage and after application of dairy cattle slurry and influence of slurry treatment. *Agriculture Ecosystems and Environment*. 112:153-162.
- ³² Johnson, J.M.F., A.J. Franzluebbers, S.L. Weyers, D.C. Reicosky. 2007. Agricultural opportunities to mitigate greenhouse gas emissions. *Environmental Pollution*. 150:107-124.
- ³³ Lal, R. 2004. Review: Soil carbon sequestration to mitigate climate change. *Geoderma* 123:1-22.
- ³⁴ Pimentel, D., P. Hepperly, J. Hanson, D. Douds, R. Seidel. 2005. Environmental, energetic, and economic comparisons of organic and conventional farming systems. *Bioscience* 55:573-582.
- ³⁵ Meisterling, K., C. Samaras, V. Schweizer. 2009. Decisions to reduce greenhouse gases from agriculture and product transport: LCA case study of organic and conventional wheat. *Journal of Cleaner Production*. 17:222-230.
- ³⁶ Johnson, J.M.F., A.J. Franzluebbers, S.L. Weyers, D.C. Reicosky. 2007. Agricultural opportunities to mitigate greenhouse gas emissions. *Environmental Pollution*. 150:107-124.
- ³⁷ Marriott, E.E. and M.M. Wander. 2006. Total and labile soil organic matter in organic and conventional farming systems. *Soil Science Society of American Journal*. 70: 950-954.
- ³⁸ Robertson, G.P. et al. 2000. Greenhouse gases in intensive agriculture: Contributions of individual gases to the radiative forcing of the atmosphere. *Science*. 239:1922-1924.
- ³⁹ Khan, S.A. et al. 2007. The myth of nitrogen fertilization for soil carbon sequestration. *Journal of Environmental Quality*. 36:1821-1823.
- ⁴⁰ Clark, M.S., W.R. Horwath, C. Shennan, K.M. Scow. 1998. Changes in soil chemical properties resulting from organic and low-input farming practices. *Agronomy Journal*. 90:662-671.
- ⁴¹ Teasdale, J.R., C.B. Coffman, R.W. Mangum. 2007. Potential long-term benefits of no-tillage and organic cropping systems for grain production and soil improvement. *Agronomy Journal*. 99: 1297-1305.
- ⁴² Thompson, E. July 2009. California Agricultural Land Loss & Conservation: The Basic Facts. American Farmland Trust. http://www.farmland.org/documents/AFT-CA-Agricultural-Land-Loss-Basic-Facts_11-23-09.pdf
- ⁴³ De Gryze, S., R. Catala, R. E. Howitt, and J. Six (University of California, Davis). 2008. Assessment of Greenhouse Gas Mitigation in California Agricultural Soils. California Energy Commission, PIER Energy-Related Environmental Research. CEC-500-2008-039.
- ⁴⁴ Weare, B.C. 2009. How will changes in global climate influence California? *California Agriculture*. 63:59-66.
- ⁴⁵ California Climate and Agriculture Network (CalCAN). 2011. Ready...Or Not? An Assessment of California Agriculture's Readiness for Climate Change. <http://www.calclimateag.org/our-work/ready-or-not/>
- ⁴⁶ Howitt, R.E., R. Catala-Luque, S. De Gryze, S. Wicks, J. Six. 2009. Realistic payments could encourage farmers to adopt practices that sequester carbon. *California Agriculture*. April-June: 91-95.
- ⁴⁷ California Climate and Agriculture Network (CalCAN). 2011.

The California Climate & Agriculture Network

The California Climate and Agriculture Network (CalCAN) is a collaboration of California's leading sustainable agriculture organizations advocating for policy solutions at the nexus of climate change and agriculture. We cultivate farmer leadership to face the challenges of climate change and to serve as California's sustainable agriculture voice on climate change policy.

CalCAN
www.calclimateag.org
(916) 441-4042 or
(707) 823-8278
info@calclimateag.org



September 2011